

MATERIAL SAFETY DATA SHEET

MSDS

Spa Time Brominating Floater

Date-Issued: 03/15/2000
MSDS Ref. No: R00007475
Date-Revised: 02/22/2005
Revision No: 2

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Spa Time Brominating Floater
GENERAL USE: Spa and hot tub sanitizer.
CHEMICAL FAMILY: Halogenated hydantoin

MANUFACTURER

Recreational Water Products
Spa Time
P.O. Box 1449
Buford, GA 30515-1449
Customer SERVICE: (800) 949-7946

24 HR. EMERGENCY TELEPHONE NUMBERS

Poison Control Center (Medical): (877) 800 - 5553
CHEMTREC (US Transportation): (800) 424 - 9300

COMMENTS: EPA Registration Number: 5185-420-67262

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS#</u>	<u>Wt.%</u>
1-bromo-3-chloro-5,5-dimethylhydantoin	16079-88-2	96

COMMENTS: Available Bromine: 63.5% / Available Chlorine: 28.2%

3. HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: White tablets with halogen odor.

IMMEDIATE CONCERNS: DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Wear protective clothing and rubber gloves when handling this product. Avoid breathing dust and fumes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

POTENTIAL HEALTH EFFECTS

EYES: Causes irreversible eye damage. Do not get in eyes.

SKIN: Causes skin burns. Do not get on skin.

INGESTION: Harmful if swallowed.

INHALATION: Irritating to nose and throat. Avoid breathing dust or fumes.

CHRONIC: There are no known chronic hazards.

MEDICAL CONDITIONS AGGRAVATED: Existing dermatitis may be aggravated by exposure.

ROUTES OF ENTRY: Skin Contact, Inhalation, Ingestion, Eye Contact.

4. FIRST AID MEASURES

EYES: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for treatment advice.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Not Applicable

FLAMMABLE CLASS: NFPA Class II Oxidizer

GENERAL HAZARD: In large fires fueled by other materials, this product may smolder for prolonged periods emitting a dense black smoke. Any spilled material should be considered contaminated. Neutralize to a non-oxidizing material for safe disposal. Material which appears undamaged except for being damp on the outside, should be opened and inspected immediately. If the material is damp, it should be neutralized to a non-oxidizing material for safe disposal.

EXTINGUISHING MEDIA: In case of fire or smoke, call the fire department. Do not attempt to extinguish the fire without a self-contained breathing apparatus (SCBA). Do not let the fire burn. Flood with copious amounts of water. DO NOT use ABC or other dry chemical extinguishers since there is the potential for a violent reaction.

HAZARDOUS COMBUSTION PRODUCTS: Combustion products may include, but are not limited to, carbon monoxide, carbon dioxide, hydrogen bromide, bromine, hydrogen chloride or chlorine.

EXPLOSION HAZARDS: A dust explosion severity determination was performed using the Hartmann Dust Explosibility Bomb designed at the U.S. Bureau of Mines. The product was determined not to be ignitable.

FIRE FIGHTING PROCEDURES: Fires fueled by other materials may release hydrogen bromide, bromine, hydrogen chloride or chlorine. Wear self-contained breathing apparatus. Ammonium phosphate (ABC) fire extinguishers should not be used.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce hydrogen bromide, bromine, hydrogen chloride, and/or chlorine.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Using appropriate protective clothing and safety equipment, contain spilled material. Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean dry containers for disposal. Do not use floor sweeping compounds to clean up spills. Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form. Do not transport wet or damp material. Keep product out of sewers, watersheds and water systems. Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Dispose of according to local, state and federal regulations.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Avoid contact with eyes, skin or clothing. Avoid breathing dust or fumes.

HANDLING: STRONG OXIDIZING AGENT: Do not mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. When using automatic feeding devices, always follow manufacturer's directions as to the proper addition of sanitizer product to brominators. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water.

STORAGE: Keep this product in original tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Moisture may decompose this product and cause a violent reaction leading to fire and explosion. In case of decomposition, isolate container if possible and flood area with large amounts of water to dissolve all materials before discarding this container. Do not contaminate

food or feed by storage or disposal. Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

	EXPOSURE LIMITS					
	OSHA PEL		ACGIH TLV		SUPPLIER OEL	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
1-bromo-3-chloro-5,5-dimethylhydantoin	TWA	N/E ^[1]		N/E		

OSHA TABLE COMMENTS:

1. N/E = Not Established

ENGINEERING CONTROLS: General room ventilation plus local exhaust should be used to minimize exposure to dust/vapors.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Wear goggles or safety glasses with side shields when handling this product.

SKIN: Wear rubber gloves when handling this product. Avoid contact with skin.

RESPIRATORY: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

WORK HYGIENIC PRACTICES: Remove and wash contaminated clothing before reuse.

OTHER USE PRECAUTIONS: Facilities storing or utilizing this material should be equipped with an eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

ODOR: Faint halogen odor.

APPEARANCE: Tablet

COLOR: White

pH: 4.5 (0.1% solution in DI water)

VAPOR PRESSURE: Not Applicable

VAPOR DENSITY: Not Applicable

BOILING POINT: Not Applicable

MELTING POINT: 160°C to 165°C

THERMAL DECOMPOSITION: 145°C to 150°C

SOLUBILITY IN WATER: 0.15g/100g water

DENSITY: 60.1 lb/ft³

OXIDIZING PROPERTIES: Oxidizer

COMMENTS:

FREEZE / MELT: (with decomposition)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID: High temperature. Poor ventilation. Contamination. Moisture/high humidity.

STABILITY: This product is stable under normal conditions.

POLYMERIZATION: Hazardous polymerization will not occur under normal conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce hydrogen bromide, bromine, hydrogen chloride, and/or chlorine.

INCOMPATIBLE MATERIALS: Avoid contact with water on concentrated material in the container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite; other swimming pool/spa chemicals in their concentrated form; alkalis. Avoid contact with all other chemicals.

11. TOXICOLOGICAL INFORMATION

ACUTE

EYES: Toxicological studies indicate this product to be corrosive to eyes.

DERMAL LD₅₀: The dermal LD₅₀ is greater than 2.0 g/kg (rabbit). The primary skin irritation index is 6.1 and the product is considered corrosive to skin.

ORAL LD₅₀: 578 mg/kg (rat).

EYE EFFECTS: This product causes irreversible eye damage.

SKIN EFFECTS: This product causes skin burns.

SENSITIZATION: This product is not expected to be a skin sensitizer.

CARCINOGENICITY:

This product is not listed as a carcinogen by IARC.

This product is not listed as a carcinogen by NTP.

This product is not listed as a carcinogen by OSHA.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

EMPTY CONTAINER: Do not reuse container, but place in trash collection. Rinse thoroughly before discarding in trash.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Oxidizing Solid, N.O.S. (Bromo-chloro-dimethylhydantoin)

PRIMARY HAZARD CLASS/DIVISION: 5.1

UN/NA NUMBER: 1479

PACKING GROUP: II

AIR (ICAO/IATA)

IATA NOTE: Not recommended for transport by air.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE: YES **PRESSURE GENERATING:** NO **REACTIVITY:** YES **ACUTE:** YES **CHRONIC:** NO

313 REPORTABLE INGREDIENTS: This product or its components are not listed.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: This product or its components are not listed.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: This product or its components are not subject to export notification.

TSCA STATUS: This product or its components are listed on the TSCA Inventory.

OSHA HAZARD COMM. RULE: Product is hazardous by definition of the Hazardous Communication Standard.

CLEAN WATER ACT: Not Listed.

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): This product is a registered pesticide.

SDWA (SAFE DRINKING WATER ACT): Not listed.

CLEAN AIR ACT

40 CFR PART 68—RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: Not listed.

CALIFORNIA PROPOSITION 65: This product or its components are not listed on any Proposition 65 lists of carcinogens or reproductive toxicants.

16. OTHER INFORMATION

PREPARED BY: Regulatory Affairs Department

REVISION SUMMARY Revision #: 2 This MSDS replaces the June 13, 2000 MSDS. Any changes in information are as follows: In Section 1 Prepared By [] Print CHEMTREC Phone Number 24 Hour Emergency Phone Numbers In Section 2 Emergency Overview - Immediate Concerns Chronic Effects Potential Health Effects - Eyes Potential Health Effects - Skin Potential Health Effects - Ingestion Comments Health In Section 4 Firstaid - Eyes Firstaid - Skin Firstaid - Ingestion Firstaid - Inhalation In Section 5 Flammable Class (Group Field) for Flash Point Combustion Products Hazardous Decomposition In Section 7 Handling General Procedures In Section 9 (Group Field) for Vapor Pressure Density Freeze / Melt (Group Field) for Melting Point Oxidizing Properties In Section 10 Hazardous Decomposition Products In Section 11 Eye Effects Skin Effects Sensitization In Section 13 Empty Container Disposal In Section 14 IATA Note In Section 15 Fire Pressure Generating Reactivity Accute Chronic In Section 16 NFPA Special Manufacturer Disclaimer Comments

HMIS RATING

HEALTH:	3
FLAMMABILITY:	1
PHYSICAL HAZARD:	1
PERSONAL PROTECTION:	B

NFPA RATING

HEALTH:	3
FIRE:	1
REACTIVITY:	1
SPECIAL:	OX

Key

- 4 = Severe
- 3 = Serious
- 2 = Moderate
- 1 = Slight
- 0 = Minimal

NFPA STORAGE CLASSIFICATION: NFPA Oxidizer Class 2

COMMENTS: The contents and format of this MSDS are in accordance with OSHA Hazard Communication Standard, National Fire Protection Association (NFPA), and Hazardous Materials Identification System (HMIS).

MANUFACTURER DISCLAIMER: IMPORTANT: The information is given without a warranty or guarantee. No suggestions for use are intended or shall be construed as a recommendation to infringe any existing patents or violate any Federal, Provincial, State, municipal, or local laws. Safe handling and use is the responsibility of the customer. Read the label before using this product. This information is true and accurate to the best of our knowledge.